

XML Representation of Constraint Networks Format XCSP 2.1

Abridged Representation for the CPAI'08 CSP Competition

Organising Committee of the
Third International Competition of CSP Solvers

Abstract

We propose a new extended format to represent constraint networks using XML. This format allows us to represent constraints defined either in extension or in intension. It also allows us to reference global constraints. Any instance of the problems CSP (Constraint Satisfaction Problem), QCSP (Quantified CSP) and WCSP (Weighted CSP) can be represented using this format.

In this document, we present an abridged version (of the format) which defines all constructs that will be used for the third international competition of CSP/Max-CSP/WCSP solvers which will be held during summer 2008 (deadline: May 10, 2008). We also introduce the restrictions that will be enforced for the competition. A companion document presents the full description of the XCSP 2.1 format.

The release of this document is January 15, 2008.

Contents

1	Introduction	4
2	Basic Components	5
2.1	Identifiers and Integers	5
2.2	Separators	5
2.2.1	Tagged notation	5
2.2.2	Abridged notation	6
2.3	Constants	6
2.3.1	Tagged notation	6
2.3.2	Abridged notation	6
2.4	Intervals	6
2.4.1	Tagged notation	6
2.4.2	Abridged notation	6
2.5	Variables	6
2.5.1	Tagged notation	7
2.5.2	Abridged notation	7
2.6	Formal parameters	7
2.6.1	Tagged notation	7
2.6.2	Abridged notation	7
2.7	Lists	7
2.7.1	Tagged notation	8
2.7.2	Abridged notation	8
2.8	Dictionaries	8
2.8.1	Tagged notation	8
2.8.2	Abridged notation	9
2.8.3	Conventional order	9
2.9	Tuples	10
2.9.1	Tagged notation	10
2.9.2	Abridged notation	10
2.10	Weighted Tuples	11
2.10.1	Tagged notation	11
2.10.2	Abridged notation	11
3	Representing CSP instances	12
3.1	Presentation	12
3.2	Domains	14
3.3	Variables	15
3.4	Relations	16
3.5	Predicates	17
3.5.1	Functional Representation	18
3.6	Constraints	19
3.6.1	Constraints in extension	20
3.6.2	Constraints in intension	21
3.6.3	Global constraints	21

<i>CONTENTS</i>	3
3.6.4 Global constraints from the Catalog	23
3.7 Illustrations	26
4 Representing QCSP instances	27
5 Representing WCSP instances	27
5.1 Presentation	28
5.2 Relations	28
5.3 Functions	28
5.4 Constraints	29
5.5 Illustration	29
6 Restrictions for the competition	29
6.1 Concerning CSP and MaxCSP	29
6.2 Concerning WCSP	31

1 Introduction

The Constraint Programming (CP) community suffers from the lack of a standardized representation of problem instances. This is the reason why we propose an XML representation of constraint networks. The Extensible Markup Language (XML) [16] is a simple and flexible text format playing an increasingly important role in the exchange of a wide variety of data on the Web. The objective of the XML representation is to ease the effort required to test and compare different algorithms by providing a common test-bed of constraint satisfaction instances.

One should notice that the proposed representation is low-level. More precisely, for each instance, domains, variables, relations (if any), predicates (if any) and constraints are exhaustively defined. The current format should not be confused with powerful modelling language such as the high-level proposals dedicated to mathematical programming - e.g. AMPL (<http://www.ampl.com>) and GAMS (<http://www.gams.com>) - or dedicated to constraint programming¹ - e.g. OPL [8], EaCL [14], NCL [17], ESRA [6], Zinc [4] and ESSENCE [7]. Nevertheless, we also project to extend this format in a near future to take into account higher level constructs.

In this document, we present an extension, denoted XCSP 2.1, of the format XCSP 2.0 which was used for the 2006 CSP solver competition. It aims at being a (hopefully good) compromise between readability, verbosity and structuration. More precisely, our objective is that the representation be:

- readable: thanks to XML, we think that it is the case. If you want to modify an instance by hand, you can do it without too many difficulties whereas it would be almost impossible with a tabular format. Only a few constructions require an a-priori knowledge of the format.
- concise: with the abridged version which doesn't use systematically XML tags and attributes, the proposed representation can be comparable in length to one that would be given in tabular format. This is important, for example, to represent instances involving constraints in extension.
- structured: because the format is based on XML, it remains rather easy to parse instances.

Roughly speaking, we propose two variants of this format:

- a fully-tagged representation,
- an abridged representation.

The first representation (tagged notation) is a full XML, completely structured representation which is suitable for using generic XML tools but is more verbose and more tedious to write for a human being. The second representation (abridged notation) is just a shorthand notation of the first representation

¹Remark that the specification language Z (<http://v1.users.org>) has also been used to build nice (high-level) problem models [13]

which is easier to read and write for a human being, but less suitable for generic XML tools.

These two representations are equivalent and this document details the translation of one representation to another. Automatic tools to convert from one representation to another will be made available, and parsers will accept the two representations. This will allow human beings to use the shorthand notation to encode an instance while still being able to use generic XML tools.

In this document, we (mainly) present the abridged representation of the format which will be adopted for the 2008 CSP solver competition. More information about the fully-tagged representation is proposed in another document. However, we also partially describe the fully-tagged representation as it makes it easier to understand some parts of our presentation.

2 Basic Components

This section describes how the most common kinds of information are represented in this XML format. This section only details the general data structures that are used in the description of instances. The way these structures are used to represent an instance is presented in the other sections of this document. As mentioned in the introduction, we present two representations for each structure. The first one is fully-tagged and the second one is abridged.

2.1 Identifiers and Integers

First, let us introduce the syntax of identifiers and integers. An identifier has to be associated with some XML elements, usually under the form of an attribute called *name*. An identifier must be a valid identifier according to the most common rules (start with a letter or underscore and further contain letters, digits or underscores). More precisely, identifiers and integers are defined (in BNF notation) as follows:

```
<identifier> ::= <letter> | "_" { <letter> | <digit> | "_" }
<integer>   ::= [ "+" | "-" ] <digit> {<digit>}
<letter>   ::= "a".."z" | "A".."Z"
<digit>    ::= "0".."9"
```

Of course, identifiers are case-sensitive.

2.2 Separators

2.2.1 Tagged notation

For the tagged version, we do not need to use any specific separator since the document is fully structured.

2.2.2 Abridged notation

For the abridged version, we sometimes need to employ separators. They are defined as follows:

```
<whitespace> ::= " " | "\t" | "\n" | "\r"
<separator> ::= <whitespace> | { <whitespace> }
```

2.3 Constants

Different kinds of constant can be used in the encoding of a CSP instance.

2.3.1 Tagged notation

Boolean constants are written using two special elements: `<true/>` and `<false/>`. Integer constants are written inside a `<i>` element (e.g. `<i>19</i>`).

2.3.2 Abridged notation

Wherever it is legal to have a numerical constant, its value can be written directly without the enclosing tag (e.g. 19, 19.5). 19 is considered as an integer constant.

To avoid introducing reserved keywords, Boolean constants (`<true/>` and `<false/>`) cannot be abridged.

2.4 Intervals

2.4.1 Tagged notation

Intervals are represented by a `<interval>` element with two attributes: **min** and **max**. The **min** represents the minimal value of the interval (the lower bound) and the **max** attribute the maximal value (the upper bound). For example, `<interval min="10" max="13"/>` corresponds to the set {10, 11, 12, 13}.

2.4.2 Abridged notation

To represent an interval, one has just to write two constants (of the same type) separated by the sequence `..`. For example, `10..13` corresponds to the set of integers {10, 11, 12, 13}.

2.5 Variables

Several constructs in the format have to reference variables. For simplicity, we consider here that the term variable refers to both effective and formal parameters of functions and predicates.

2.5.1 Tagged notation

The reference to a variable is represented by a `<var>` element with an empty body and a single attribute **name** which provides the identifier of the variable. For example, a reference to the variable `X1` is represented by `<var name="X1"/>`.

2.5.2 Abridged notation

Wherever it is legal to have a `<var name="identifier"/>` element, this element can be replaced equivalently by `identifier`. For example, `X1` and `<var name="X1"/>` are two legal and equivalent ways to refer to the variable `X1`.

2.6 Formal parameters

A predicate or function in this XML format must first define the list of its formal parameters (with their type). Then, these formal parameters can be referenced with the notations defined in section 2.5.

In both tagged and abridged representations, formal parameters are defined in the body of a `<parameters>` element.

2.6.1 Tagged notation

In the tagged notation, each formal parameter is defined by a `<parameter>` element with two attributes. The attribute **name** defines the formal name of the parameter and the attribute **type** defines its type. For example, `<parameter name="X0" type="int">` defines a parameter named `X0` of integer type.

2.6.2 Abridged notation

Wherever it is legal to have a `<parameter>` element, a formal parameter can be written in abridged notation by its type followed by whitespace followed by the parameter name (as in C and Java programming language). Consecutive parameters must be separated by whitespace. For example, `int X0` is the abridged representation of `<parameter name="X0" type="int">`.

The syntax of the formal parameters list is described by the following grammar (in BNF notation):

```

<formalParameters> ::= [<formalParametersList>]
<formalParametersList> ::= <formalParameter>
    | <formalParameter> <separator> <formalParametersList>
<formalParameter> ::= <type> <separator> <identifier>
<type> ::= "int"

```

2.7 Lists

A list is an array of (possibly heterogeneous) objects. The order of objects in the list is significant (but this order may be deliberately ignored when needed).

2.7.1 Tagged notation

A list is represented by a `<list>` element with all members of the list given in the body of the element. For example, a list containing the integers 1, 2 and the Boolean value *true* is represented by:

```
<list> <i>1</i> <i>2</i> <true/> </list>
```

2.7.2 Abridged notation

Wherever it is legal to have a list element, the opening square brace is defined as a synonym of `<list>` and the closing square brace is defined as a synonym of `</list>`. A separator is used between two elements of the list. Whitespace can be found before and after a square brace.

```
[1 2 <true/>]
```

2.8 Dictionaries

A dictionary is an associative array that maps a key to a value. In other words, it is an array of `<key,value>` pairs. A key is a name which references a value in the data structure. A notation common to a number of languages to access the value corresponding to a key k in a dictionary d is $d[k]$. In a sense, a dictionary is a generalization of an array: indices in (classical) arrays must be contiguous integers while keys in a dictionary can be arbitrary names. A dictionary can also be seen as a generalization of the notion of structures (struct in C/C++) and records (Pascal). A record with n fields f_1, \dots, f_n can be seen as a dictionary containing the n keys f_1, \dots, f_n and the corresponding values. A dictionary is an extension of a record since new keys can be added to a dictionary while a record usually has a fixed list of fields. Each pair `<key,value>` in a dictionary is called an entry in that dictionary.

A function which accepts a dictionary as parameter can decide that some keys must be present in the dictionary and that some others keys are optional. This provides a simple way to support optional parameters. When a key is missing in a dictionary, it is considered that there is no corresponding value. The special tag `<nil/>` is another way to specify explicitly that a key has no corresponding value. This special value corresponds to the `null` value in SQL. Omitting a key k from a dictionary or defining that key k corresponds to value `<nil/>` are equivalent ways of associating no value to key k .

The order of keys in a dictionary is not significant. A dictionary may contain no key at all. A dictionary can be associated to a key in a given dictionary (in other words, dictionaries may be contained in a dictionary).

2.8.1 Tagged notation

An entry of a dictionary that associates a value v with key k is encoded by an element `<entry>` with a single attribute `key` with value k and a body containing the value v : `<entry key="k">v</entry>`

A dictionary is defined by a `<dict>` element with all entries of the dictionary given inside the body: `<dict><entry key="name1">value1</entry> <entry key="name2">value2</entry></dict>`. The body of this element cannot contain other elements than dictionary entries.

2.8.2 Abridged notation

Several notations are already used in different languages to associate a key with a value in an associative array (`key => value` in PHP and Perl, `/key value` in PostScript and PDF,...). Since the character `>` is a reserved character in XML, we use the PostScript notation.

A dictionary in abridged notation starts by a opening curly brace followed by a list of entries and is ended by a closing curly brace. Each entry is written as a key immediately preceded by a slash (no space between the slash and the key), whitespace and the value corresponding to this key. Whitespace can be found before and after a curly brace. For example:

```
{/name1 value2 /name2 value2}
```

2.8.3 Conventional order

In some cases (e.g. when a function expects a dictionary with a given set of keys), a conventional order can be associated with a dictionary. This conventional order specifies a default order of keys which can be used to further shorten the notations. When the conventional order of keys can be known from the context, a dictionary can be written in abridged notation by opening a curly brace, listing the values of each key which is expected in the dictionary and closing the curly brace. The absence of a slash following the opening curly brace identifies a dictionary represented in conventional order (note however that white space is allowed between the opening curly brace and the first slash).

In this context, there must be as many values inside the curly braces as the number of keys in the conventional order. To assign no value to a given key, the special value `<nil/>` must be used.

For example, the coordinates of a point of a plane may be represented by a dictionary containing two keys *x* and *y*. The point at coordinates (2, 5) can be represented by several notations. We can have:

```
<dict>
  <entry key="x"><i>2</i></entry>
  <entry key="y"><i>5</i></entry>
</dict>
```

or:

```
<dict>
  <entry key="y"><i>5</i></entry>
  <entry key="x"><i>2</i></entry>
```

```
</dict>
```

```
or:
```

```
{/x 2 /y 5}
```

```
or:
```

```
{/y 5 /x 2}
```

```
or:
```

```
{
  /x 2
  /y 5
}
```

When a conventional order is fixed which indicates that key x is given before key y , the same dictionary can be written by:

```
{2 5}
```

2.9 Tuples

Here, we consider a tuple as being a sequence of objects of the same type. For example, $(2, 5, 8)$ is a tuple containing three integers.

2.9.1 Tagged notation

A tuple is represented by a `<tuple>` element with all members of the tuple given in the body of the element. For example, the tuple $(2, 5, 8)$ is represented by:

```
<tuple> <i>2</i> <i>5</i> <i>8</i> </tuple>
```

2.9.2 Abridged notation

For the abridged variant, the members of any tuple are written directly within the enclosing tag. However, if we have two successive tuples (i.e. `... </tuple> <tuple> ...`), we use the character `'|'` as a separator between them. For example, the representation of a sequence of binary tuples takes the form (in BNF notation):

```
<binaryTupleSequence> ::= <binaryTuple> | <binaryTuple> "|" <binaryTupleSequence>
<binaryTuple> ::= <integer> <separator> <integer>
```

For ternary relations, one has just to consider tuples formed from 3 values, etc. For example, a list of binary tuples is:

```
0 1|0 3|1 2|1 3|2 0|2 1|3 1
```

while a list of ternary tuples is:

```
0 0 1|0 2 1|1 0 1|1 2 0|2 1 1|2 2 2
```

2.10 Weighted Tuples

It may be interesting (e.g. see the WCSP framework [9]) to associate a weight (or cost) with a tuple or a sequence of tuples.

2.10.1 Tagged notation

We then just have to enclose this tuple (these tuples) within a `<weight>` element which admits one attribute `value`. This attribute must be an integer or the special value "infinity". For example, if a weight equal to 10 must be associated with the tuple (2, 5, 8), we obtain:

```
<weight value="10"> <tuple> <i>2</i> <i>5</i> <i>8</i> </tuple>
</weight>
```

Notice that it is possible to directly associate the same weight with several tuples.

2.10.2 Abridged notation

In abridged notation, each tuple can be given an explicit cost by prefixing it with its cost followed by a colon character ':'. When a cost is not specified for a tuple, it simply means that the cost of the current tuple is equal to the cost of the previous one. At the extreme, only the first tuple is given an explicit cost, all other tuples implicitly referring to this cost. In any case, the first tuple of a relation must be given an explicit cost. Remark that with the abridged variant, it is not possible to put in the same context unweighted and weighted tuples (but, we believe that it is not a real problem). Finally, to associate the special value "infinity" with a tuple, the special element `<infinity/>` must be used.

For example, let us consider the following "classical" list of binary tuples:

```
0 1|0 3|1 2|1 3|2 0|2 1|3 1
```

If 1 is the cost of tuples (0, 1), (0, 3), (3, 1) whereas 10 is the cost of all other tuples, then we can write:

```
1:0 1|1:0 3|10:1 2|10:1 3|10:2 0|10:2 1|1:3 1
```

but also, using implicit costs:

```
1:0 1|0 3|10:1 2|1 3|2 0|2 1|1:3 1
```

This example may also be written equivalently on several lines:

```
1: 0 1|0 3|
10: 1 2|1 3|2 0|2 1|
1: 3 1
```

Note that using the abridged representation to associate costs with tuples allows us to save a large amount of space.

3 Representing CSP instances

In order to avoid any ambiguity, we briefly introduce constraint networks. A constraint network consists of a finite set of variables such that each variable X has an associated domain $dom(X)$ denoting the set of values allowed for X , and a finite set of constraints such that each constraint C has an associated relation $rel(C)$ denoting the set of tuples allowed for the variables $scp(C)$ involved in C . A solution to a constraint network is the assignment of a value to each variable such that all the constraints are satisfied. A constraint network is said to be satisfiable if it admits at least a solution. The Constraint Satisfaction Problem (CSP), whose task is to determine whether or not a given constraint network is satisfiable, is NP-hard. A constraint network is also called a CSP instance. For an introduction to constraint programming, see for example [5, 1].

Each CSP instance is represented following the format given in Figure 1 where q , n , r , p and e respectively denote the number of distinct domains, the number of variables, the number of distinct relations, the number of distinct predicates and the number of constraints. Note that $q \leq n$ as the same domain definition can be used for different variables, $r \leq e$ and $p \leq e$ as the same relation or predicate definition can be used for different constraints. Thus, each instance is defined by an XML element which is called `<instance>` and which contains four, five or six elements. Indeed, it is possible to have one instance defined without any reference to a relation or/and to a predicate. Then, the elements `<relations>` and `<predicates>` may be missing (if both are missing, it means that only global constraints are referenced).

Each basic element (`<presentation>`, `<domain>`, `<variable>`, `<relation>`, `<predicate>` and `<constraint>`) of the representation admits an attribute called **name**. The value of the attribute **name** must be a valid identifier (as introduced in the previous section). In the representation of any instance, it is not possible to find several attributes "name" using the same identifier.

Remark 1 *In the body of any element of the document, one can insert an `<extension>` element in order to put any information specific to a solver.*

3.1 Presentation

The XML element called `<presentation>` admits a set of attributes and may contain a description (a string) of the instance:

```
<presentation
  name = 'put here the instance name'
  maxConstraintArity = 'put here the greatest constraint arity'
  minViolatedConstraints = 'the minimum number of violated constraints'
  nbSolutions = 'put here the number of solutions'
  solution = 'put here a solution'
  type = 'CSP'>
  format = 'XCSP 2.1'
  Put here the description of the instance
</presentation>
```

```

<instance>
  <presentation
    name = 'put here the instance name'
    ...
    format = 'XCSP 2.1' >
    Put here the description of the instance
  </presentation>

  <domains nbDomains='q'>
    <domain
      name = 'put here the domain name'
      nbValues = 'put here the number of values' >
      Put here the list of values
    </domain>
    ...
  </domains>

  <variables nbVariables='n'>
    <variable
      name = 'put here the variable name'
      domain = 'put here the name of a domain'
    />
    ...
  </variables>

  <relations nbRelations='r'>
    <relation
      name = 'put here the name of the relation'
      arity = 'put here the arity of the relation'
      nbTuples = 'put here the number of tuples'
      semantics = 'put here either supports or conflicts' >
      Put here the list of tuples
    </relation>
    ...
  </relations>

  <predicates nbPredicates='p'>
    <predicate
      name = 'put here the name of the predicate' >
      <parameters>
        put here a list of formal parameters
      </parameters>
      <expression>
        Put here one (or more) representation of the predicate expression
      </expression>
    </predicate>
    ...
  </predicates>

  <constraints nbConstraints='e'>
    <constraint
      name = 'put here the name of the constraint'
      arity = 'put here the arity of the constraint'
      scope = 'put here the scope of the constraint'
      reference = 'put here the name of a relation, a
        predicate or a global constraint'>
      ...
    </constraint>
    ...
  </constraints>
</instance>

```

Figure 1: XML representation of a CSP instance

Only the attribute **format** is mandatory (all other attributes are optional as they mainly provide human-readable information). It must be given the value 'XCSP 2.1' for the current format. The attribute **name** must be a valid identifier (or the special value '?'). The attribute **maxConstraintArity** is of type integer and denotes the greatest arity of all constraints involved in the instance. The attribute **minViolatedConstraints** can be given an integer value denoting the minimum number of constraints that are violated by any full instantiation of the variables, an expression of the form 'at most k' with k being a positive integer or '?'. The attribute **nbSolutions** can be given an integer value denoting the total number of solutions of the instance, an expression of the form 'at least k' with k being a positive integer or '?'.

For example,

- **nbSolutions** = '0' indicates that the instance is unsatisfiable,
- **nbSolutions** = '3' indicates that the instance has exactly 3 solutions,
- **nbSolutions** = 'at least 1' indicates that the instance has at least 1 solution (and, hence, is satisfiable),
- **nbSolutions** = '?' indicates that it is unknown whether or not the instance is satisfiable,

The attribute **solution** indicates a solution if one exists and has been found. The **type** attribute indicates the kind of problem described by this instance. It should be set to 'CSP' for a constraint satisfaction problem, 'QCSP' for a quantified CSP and 'WCSP' for a weighted CSP. For compatibility with the XCSP 2.0 format, this attribute is optional for CSP instances (but it is strongly advised to use it). It is mandatory for other types of instances (QCSP, WCSP,...).

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

Only the attributes **maxConstraintArity** and **format** of element `<presentation>` will be present (and the content of element `<presentation>` empty). Potentially, the attribute **type** will be present.

Remark that the optional attribute **maxSatisfiableConstraints**, although still authorized, is deprecated. We encourage to use **minViolatedConstraints** instead.

3.2 Domains

The XML element called `<domains>` admits an attribute which is called **nbDomains** and contains some occurrences (at least, one) of an element called `<domain>`, each one being associated with at least one variable of the instance. The attribute **nbDomains** is of type integer and its value is equal to the number of occurrences of the element `<domain>`. Each element `<domain>` admits two attributes, called **name** and **nbValues** and contains a list of values, as follows:

```

<domain
  name = 'put here the domain name'
  nbValues = 'put here the number of values' >
  Put here the list of values
</domain>

```

The attribute **name** corresponds to the name of the domain and its value must be a valid identifier.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

The value of the attribute **name** of the i^{th} element `<domain>` must be the letter *D* followed by the number $i - 1$ (i.e. we have *D0*, *D1*, ...). Besides, each domain must be referenced by at least one variable.

The attribute **nbValues** is of type integer and its value is equal to the number of values of the domain. The content of the element `<domain>` gives the set of integer values included in the domain. More precisely, it contains a sequence of integers and integer intervals.

For the abridged variant, we have for example:

- 1 5 10 corresponds to the set $\{1, 5, 10\}$.
- 1..3 7 10..14 corresponds to the set $\{1, 2, 3, 7, 10, 11, 12, 13, 14\}$.

Note that **nbValues** gives the number of values of the domain (i.e. the domain size), and not, the number of domain pieces (integers and integer intervals).

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

The values that an element `<domain>` contains must be given in ascending order without multiple occurrences of the same value.

3.3 Variables

The XML element called `<variables>` admits an attribute which is called `<nbVariables>` and contains some occurrences (at least, one) of an element called `<variable>`, one for each variable of the instance. The attribute **nbVariables** is of type integer and its value is equal to the number of occurrences of the element `<variable>`. Each element `<variable>` is empty but admits two attributes, called **name** and **domain**, as follows:

```

<variable
  name = 'put here the variable name'
  domain = 'put here the name of a domain'
/>

```

The attribute **name** corresponds to the name of the variable and its value must be a valid identifier.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

The value of the attribute **name** of the i^{th} element **variable** must be the letter V followed by the number $i - 1$ (i.e. we have $V0, V1, \dots$). Besides, each variable must be referenced by at least one constraint (i.e. must be involved in at least one constraint).

The value of the attribute **domain** gives the name of the associated domain. It must correspond to the value of the **name** attribute of a **domain** element.

3.4 Relations

If present, the XML element called `<relations>` admits an attribute which is called **nbRelations** and contains some occurrences (at least, one) of an element called `<relation>`, each one being associated with at least one constraint of the instance. The attribute **nbRelations** is of type integer and its value is equal to the number of occurrences of the element `<relation>`.

Each element `<relation>` admits four attributes, called **name**, **arity**, **nbTuples** and **semantics**, and contains a list of distinct tuples that represents either allowed tuples (supports) or disallowed tuples (conflicts). It is defined as follows:

```
<relation
  name = 'put here the name of the relation'
  arity = 'put here the arity of the relation'
  nbTuples = 'put here the number of tuples'
  semantics = 'put here either supports or conflicts' >
  Put here the list of tuples
</relation>
```

The attribute **name** corresponds to the name of the relation and its value must be a valid identifier.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

The value of the attribute **name** of the i^{th} element `<relation>` must be the letter R followed by the number $i - 1$ (i.e. we have $R0, R1, \dots$). Besides, each relation must be referenced by at least one constraint.

The attribute **arity** is of type integer and its value is equal to the arity of the relation. The attribute **nbTuples** is of type integer and its value is equal to the number of tuples of the relation. The attribute **semantics** can only be given two values: 'supports' and 'conflicts'. Of course, if the value of **semantics** is 'supports' (resp. 'conflicts'), then it means that the list of tuples correspond to allowed (resp. disallowed) tuples. The content of the element `<relation>` gives the set of distinct tuples of the relation.

The representation of lists of tuples is given in Section 2.9.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

It is imposed that the tuples contained in an element `<relation>` must be given in ascending (lexicographic) order without multiple occurrences of the same tuple. Also, a relation must contain at least one tuple (otherwise the relation is either trivially unsatisfiable or trivially satisfied, depending on its semantics).

3.5 Predicates

If present, the XML element called `<predicates>` admits an attribute which is called **nbPredicates** and contains some occurrences (at least, one) of an element called `<predicate>`, one for each predicate associated with at least a constraint of the instance. The attribute **nbPredicates** is of type integer and its value is equal to the number of occurrences of the element `<predicate>`.

Each element `<predicate>` admits one attribute, called **name**, and contains two elements, called `<parameters>` and `<expression>`. It is defined as follows:

```
<predicate
  name = 'put here the name of the predicate' >
  <parameters>
    put here a list of formal parameters
  </parameters>
  <expression>
    Put here one (or several) representation(s) of the predicate expression
  </expression>
</predicate>
```

The attribute **name** corresponds to the name of the predicate and its value must be a valid identifier.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

The value of the attribute **name** of the i^{th} element `<predicate>` must be the letter P followed by the number $i - 1$ (i.e. we have P_0, P_1, \dots). Besides, each predicate must be referenced by at least one constraint.

The `<parameters>` element defines the list of formal parameters of the predicate. The syntax of this element is detailed in section 2.6.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

The name of the i^{th} formal parameter must be the letter X followed by the number $i - 1$ (i.e. we have X_0, X_1, \dots).

The only authorized type is for the moment 'int' (denoting integer values).

The element `<expression>` may contain several representations of the predicate expression.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

Only the functional representation, described below, is considered. Each formal parameter occurs at least one time in the expression of the predicate.

3.5.1 Functional Representation

It is possible to insert a functional representation of the predicate expression by inserting in `<expression>` an element `<functional>` which contains any Boolean expression defined as follows:

```

<integerExpression> ::=
  <integer> | <identifier>
  | "neg(" <integerExpression> ")"
  | "abs(" <integerExpression> ")"
  | "add(" <integerExpression> "," <integerExpression> ")"
  | "sub(" <integerExpression> "," <integerExpression> ")"
  | "mul(" <integerExpression> "," <integerExpression> ")"
  | "div(" <integerExpression> "," <integerExpression> ")"
  | "mod(" <integerExpression> "," <integerExpression> ")"
  | "pow(" <integerExpression> "," <integerExpression> ")"
  | "min(" <integerExpression> "," <integerExpression> ")"
  | "max(" <integerExpression> "," <integerExpression> ")"
  | "if(" <booleanExpression> "," <integerExpression> "," <integerExpression> ")"

<booleanExpression> ::=
  "false" | "true"
  | "not(" <booleanExpression> ")"
  | "and(" <booleanExpression> "," <booleanExpression> ")"
  | "or(" <booleanExpression> "," <booleanExpression> ")"
  | "xor(" <booleanExpression> "," <booleanExpression> ")"
  | "iff(" <booleanExpression> "," <booleanExpression> ")"
  | "eq(" <integerExpression> "," <integerExpression> ")"
  | "ne(" <integerExpression> "," <integerExpression> ")"
  | "ge(" <integerExpression> "," <integerExpression> ")"
  | "gt(" <integerExpression> "," <integerExpression> ")"
  | "le(" <integerExpression> "," <integerExpression> ")"
  | "lt(" <integerExpression> "," <integerExpression> ")"

```

Hence, any constraint in intension can be defined by a predicate which corresponds to an expression built from (Boolean and integer) constants and the introduced set of functions (operators). The semantics of operators is given by Table 1.

An expression usually contains identifiers which correspond to the formal parameters of a predicate. To illustrate this, let us consider the predicate that allows defining constraints involved in any instance of the *queens* problem. It corresponds to: $X \neq Y \wedge |X - Y| \neq Z$. We obtain using the functional representation:

```

<predicate name="P0">
  <parameters>
    int X int Y int Z
  </parameters>
  <expression>
    <functional>
      and(ne(X,Y),ne(abs(sub(X,Y)),Z))
    </functional>
  </expression>
</predicate>

```

Operation	Arity	Syntax	Semantics	MathML
Arithmetic (operands are integers)				
Opposite	1	neg(x)	-x	<minus>
Absolute Value	1	abs(x)	x	<abs>
Addition	2	add(x,y)	x + y	<plus>
Substraction	2	sub(x,y)	x - y	<minus>
multiplication	2	mul(x,y)	x * y	<times>
Integer Division	2	div(x,y)	x div y	<quotient>
Remainder	2	mod(x,y)	x mod y	<rem>
Power	2	pow(x,y)	x ^y	<power>
Minimum	2	min(x,y)	min(x,y)	<min>
Maximum	2	max(x,y)	max(x,y)	<max>
Relational (operands are integers)				
Equal to	2	eq(x,y)	x = y	<eq>
Different from	2	ne(x,y)	x ≠ y	<neq>
Greater than or equal	2	ge(x,y)	x ≥ y	<geq>
Greater than	2	gt(x,y)	x > y	<gt>
Less than or equal	2	le(x,y)	x ≤ y	<leq>
Less than	2	lt(x,y)	x < y	<lt>
Logic (operands are Booleans)				
Logical not	1	not(x)	¬ x	<not>
Logical and	2	and(x,y)	x ∧ y	<and>
Logical or	2	or(x,y)	x ∨ y	<or>
Logical xor	2	xor(x,y)	x ⊕ y	<xor>
Logical equivalence (iff)	2	iff(x,y)	x ⇔ y	
Control				
Alternative	3	if(x,y,z)	value of y if x is true, otherwise value of z	

Table 1: Operators used to build predicate expressions

3.6 Constraints

The XML element called `<constraints>` admits an attribute which is called **nbConstraints** and contains some occurrences (at least, one) of an element called `<constraint>`, one for each constraint of the instance. The attribute **nbConstraints** is of type integer and its value is equal to the number of occurrences of the element `<constraint>`.

Each element `<constraint>` admits four attributes, called **name**, **arity**, **scope** and **reference**, and potentially contains some elements:

```

<constraint
  name = 'put here the name of the constraint'
  arity = 'put here the arity of the constraint'
  scope = 'put here the scope of the constraint'
  reference = 'put here the name of a relation, of
             predicate or a global constraint'>
  ...
</constraint>

```

The attribute **name** corresponds to the name of the constraint and its value must be a valid identifier.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

The name of the i^{th} constraint must be the letter C followed by the number $i - 1$ (i.e. we have $C0, C1, \dots$).

The attribute **arity** is of type integer and its value is equal to the arity of the constraint (that is to say, the number of variables in its scope). It must be greater than or equal to 1. The value of the attribute **scope** denotes the set of variables involved in the constraint. It must correspond to a list of distinct variable names where each name corresponds to the value of the **name** attribute of a `<variable>` element. Variables are separated by whitespace.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

To facilitate the identification of constraints which have the same scope, constraints in the competition instances will be sorted according to the lexicographic order of their normalized scope. The normalized scope is the scope of the constraint sorted by variable name (for example, $V0 V1 V2$ is the normalization of $V2 V0 V1$).

This will ensure that two constraints which involve the same set of variables will be adjacent in the list of constraints. However, constraints which involve the same set of variables may have different scope attributes. For example, if $C1$ is defined on $V0 V1$ and $C2$ is defined on $V1 V0$, it is guaranteed that $C1$ and $C2$ will be adjacent in the list (i.e. within the element `<constraints>`) but $C2$ will not be rewritten to have scope $V0 V1$ because this is too expensive in a number of cases.

Solvers which need to identify constraints which involve the same sets of variables must generate the normalized scope and compare it to the normalized scope of the previous constraint. If they are equal, the constraints involve the same set of variables and they may be merged into a single constraint using a logical and.

More than two consecutive constraints may involve the same set of variables.

There are three alternatives to represent constraints. Indeed, it is possible to introduce:

- constraints in extension
- constraints in intension
- global constraints

3.6.1 Constraints in extension

The value of the attribute **reference** must be the name of a relation. It means that it must correspond to the value of the **name** attribute of a `<relation>` element. The element `<constraint>` is empty when it represents a constraint defined in extension. For example:

```
<constraint name="C0" scope="V0 V1" reference="R0" />
```

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

All tuples of a relation referenced by a constraint must be valid for this constraint (i.e. any value occurring in a tuple of the relation must belong to the domain of the corresponding variable in the scope of the constraint).

3.6.2 Constraints in intension

The value of the attribute **reference** must be the name of a predicate. It means that it must correspond to the value of the **name** attribute of a `<predicate>` element.

The element `<constraint>` contains an element `<parameters>` when it represents a constraint defined in intension. The element `<parameters>` contains a sequence of effective parameters, each one being either an integer or a variable reference (which must occur in the scope of the constraint). For the abridged variant, a separator is inserted between two elements. Of course, the arity of a predicate referenced by a constraint must correspond to the number of effective parameters of this constraint. Also, all variables occurring in the scope of a constraint referencing a predicate must occur as effective parameters of this constraint. For example:

```
<constraint name="C0" scope="V0 V1" reference="P0">
  <parameters>
    V0 V1 1
  </parameters>
</constraint>
```

The semantics is the following. Given a tuple built by assigning a value to each variable belonging to the scope of the constraint, the predicate expression is evaluated after replacing each occurrence of a formal parameter corresponding to an effective parameter denoting a variable with the assigned value. The tuple is allowed iff the expression evaluates to *true*.

3.6.3 Global constraints

The value of the attribute **reference** must be the name of a global constraint, prefixed by “global:”. As the character ‘:’ cannot occur in any valid identifier, it avoids some potential collision with other identifiers. The name of global constraints is case-insensitive. Therefore, `global:allDifferent` and `global:alldifferent` represent the same constraint.

The element `<constraint>` may contain an element `<parameters>` when it represents a global constraint. If present, the element `<parameters>` contains a sequence of parameters specific to the global constraint. As a consequence, the description of such parameters must be given for each global constraint. It is then clear that, for each global constraint, we have to indicate its name (the one

to be referenced), its parameters (and the way they are structured in XML) and its semantics. Below, we provide such information for four global constraints.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

Only the following global constraints will be considered: *allDifferent*, *weightedSum*, *element* and *cumulative*.

Constraint *weightedSum* (not defined in the global constraint catalog)

Semantics $\sum_{i=1}^r k_i * X_i$ op b where r denotes the arity of the constraint, k_i denotes an integer, X_i the i^{th} variable occurring in the scope of the constraint, op a relational operator in $\{=, \neq, >, \geq, <, \leq\}$, and b an integer.

Parameters There is a first parameter that represents a list of k dictionaries representing each product in the sum. Each dictionary contains an integer coefficient (associated with the `coef` key) and one variable identifier (associated with the `var` key). The conventional order of keys in these dictionaries is `coef`, `var`. Therefore, `{/coef 2 /var X1}` can be represented as `{2 X1}`.

There is a second parameter which is a tag denoting the relational operator. It corresponds to an atom that must necessarily belong to $\{\langle eq \rangle, \langle ne \rangle, \langle ge \rangle, \langle gt \rangle, \langle le \rangle, \langle lt \rangle\}$ (see Table 1). There is a third parameter which is an integer.

Example $V0 + 2V1 - 3V2 > 12$

```
<constraint name="C2" arity="3" scope="V0 V1 V2" reference="global:weightedSum">
  <parameters>
    [ { 1 V0 } { 2 V1 } { -3 V2 } ]
  <gt/>
  12
  </parameters>
</constraint>
```

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

All coefficients must be non null and all variable identifiers must be different and must occur in the scope of the constraint.

The syntax of the *weightedSum* global constraint slightly changed from the XCSP 2.0 format to the current format. The first parameter of this constraint is now a list of dictionaries (previously, it was a list of lists). The old syntax is deprecated.

Alternatives This arithmetic constraint can be represented in intension (using the grammar described earlier in the paper). It is interesting to note that:

- $\sum_{i=1}^r k_i * X_i = b \Leftrightarrow \sum_{i=1}^r k_i * X_i \geq b \wedge \sum_{i=1}^r k_i * X_i \leq b$
- $\sum_{i=1}^r k_i * X_i \neq b \Leftrightarrow \sum_{i=1}^r k_i * X_i > b \vee \sum_{i=1}^r k_i * X_i < b$
- $\sum_{i=1}^r k_i * X_i > b \Leftrightarrow \sum_{i=1}^r k_i * X_i \geq b - 1$
- $\sum_{i=1}^r k_i * X_i < b \Leftrightarrow \sum_{i=1}^r -k_i * X_i > -b$

References This arithmetic constraint is related to the constraint called `sum_ctr` in [2]. Some information can also be found in [12].

3.6.4 Global constraints from the Catalog

The catalog of global constraints (see <http://www.emn.fr/x-info/sdemasse/gccat>) describes a huge number of global constraints. This section describes how these constraints can be translated in the XML representation. This description is based on the 2006-09-30 version of the catalog.

This version of the XML format supports global constraints from the catalog with parameters of type `int`, `dvar`, `list` and `collection` (in the catalog terminology).

The current version of the format doesn't support constraints with `sint`, `svar`, `mint`, `mvar`, `flt` or `fvar` parameters (this restriction will be lifted in future versions of the format).

Unless stated otherwise for a particular constraint, the name of the global constraint in the XML representation is directly obtained from the name of the constraint in the catalog by prefixing it with 'global:'. For example, the catalog defines a constraint named `cumulative`. In the XML representation, it is named `global:cumulative`. The semantics of the global constraint is the one defined in the catalog.

Except for some particular cases, parameters of global constraints are represented according to the following rules.

atom In the catalog, a parameter of type `atom` is represented in the XML format by a tag. Atoms representing relational operators will be denoted by elements of $\{\langle eq \rangle, \langle ne \rangle, \langle ge \rangle, \langle gt \rangle, \langle le \rangle, \langle lt \rangle\}$ (see Table 1).

int In the catalog, a parameter of type `int` is an integer constant. It is represented in the XML format as an integer constant (`<i>value</i>` in tagged notation or `value` in abridged notation).

dvar In the catalog, a parameter of type `dvar` corresponds to a CSP variable. It is represented in the XML format as a variable reference (`<var name="X"/>` in tagged notation or `X` in abridged notation). A parameter of type `dvar` can also correspond to an integer constant.

list A list of elements in the catalog of global constraints is represented as a list in the XML format (cf. 2.7).

collection The catalog defines a collection as a collection of ordered items, each item being a set of `<attribute, value>` pairs. In our XML representation, this is directly translated as a list of dictionaries. The keys in each dictionary correspond to the attributes in the collection.

As an example, the `cumulative` constraint is defined in the catalog as `cumulative(TASKS; LIMIT)` where `TASKS` is a `collection(origin-dvar; duration-dvar; end-dvar; height-dvar)` and `LIMIT` is an `int`. For each task, `height` must be defined but only two attributes among `origin`, `duration` and `end` can be defined (since by definition `origin-end=duration`). A constraint that enforces a maximal height of 4 for 3 tasks starting at origins represented as a CSP variable and with given duration and height, can be represented by:

```
<constraint name="C1" arity="3" scope="X2 X5 X9" reference="global:cumulative">
  <parameters>
    [
      {/origin X2 /duration 10 /height 1}
      {/origin X5 /duration 5 /height 2}
      {/origin X9 /duration 8 /height 3}
    ]
    4
  </parameters>
</constraint>
```

Note that attributes that are not required are represented as missing keys in the dictionaries.

Assuming the conventional order `origin, duration, end, height` is defined for `cumulative`, this constraint can also be written as

```
<constraint name="C1" arity="3" scope="X2 X5 X9" reference="global:cumulative">
  <parameters>
    [
      {X2 10 <nil/> 1}
      {X5 5 <nil/> 2}
      {X9 8 <nil/> 3}
    ]
    4
  </parameters>
</constraint>
```

Here, missing attributes are represented by the `<nil/>` element.

For each global constraint, the conventional order of dictionaries is the order of attributes defined in the global catalog.

When a global constraint has a collection parameter which contains only one attribute, it is represented as a list of values. For example, the `global.cardinality` constraint has a first parameter of type `collection`

of dvar. It is represented directly a list of variables ([X1 X2 X3]) instead of a list of dictionaries with one single key ([{/var X1} {/var X2} {/var X3}]) or, using conventional order, [{X1} {X2} {X3}]).

When a global constraint has a collection parameter and this parameter is known to contain one single item (by definition of the global constraint), this parameter is represented as a single dictionary (instead of a list containing one single dictionary).

Arguments of a global constraint in the catalog must be translated in XML as a sequence of elements inside the tag `<parameters>` in the order defined in the catalog.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

The abridged representation of global constraints will only be given using the conventional order.

Below, we present the description of the 3 global constraints from the catalog that will be used for the competition (together with `weightedSum`). However, note that most of the global constraints from the catalog can be directly translated in format XCSP 2.1. Many examples (e.g. `among`, `cycle`, `diffn`, `global.cardinality`, `nvalue`, etc.) are given in the document fully describing the format.

Constraint `allDifferent` It is defined in the catalog as follows:

```
alldifferent(VARIABLES)
VARIABLES collection(var:dvar)
```

Following rules given above, we may have in XML:

```
<constraint name="C1" arity="4" scope="V1 V2 V3 V4" reference="global:allDifferent">
  <parameters>
    [ V1 V2 V3 V4 ]
  </parameters>
</constraint>
```

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

For `allDifferent`, parameters must only involve variables (integer constants are not accepted).

Note that the old syntax, with implicit parameters, is deprecated. On the other hand, this constraint can be represented in intension by introducing a predicate that represents a conjunction of inequalities. It can also be converted into a clique of binary `notEqual` constraints. For more information about this constraint, see e.g. [11, 15, 2].

Constraint cumulative It is defined in the catalog as follows:

```
cumulative(TASKS,LIMIT)

TASKS      collection(origin:dvar, duration:dvar, end:dvar, height:dvar)
LIMIT      int
```

Here, we have a collection of ordered items where each item corresponds to a task with 4 attributes (origin, duration, end and height), and a limit value. As an illustration, we can have in XML:

```
<constraint name="C1" arity="8" scope="O1 D1 E1 H1 O2 D2 E2 H2"
           reference="global:cumulative">
  <parameters>
    [ { O1 D1 E1 H1 } { O2 D2 E2 H2 } ]
    8
  </parameters>
</constraint>
```

As indicated in the constraint restrictions, one attribute among $\{origin, duration, end\}$ may be missing. Assume that it is the case for *end*, we could have:

```
<constraint name="C1" arity="6" scope="O1 D1 H1 O2 D2 H2"
           reference="global:cumulative">
  <parameters>
    [ { O1 D1 <nil/> H1 } { O2 D2 <nil/> H2 } ]
    8
  </parameters>
</constraint>
```

Constraint element It is defined in the catalog as follows:

```
element(INDEX,TABLE,VALUE)

INDEX      dvar
TABLE      collection(value:dvar)
VALUE      dvar
```

As an illustration, we can have in XML:

```
<constraint name="C1" arity="5" scope="I X1 X2 X3 V" reference="global:element">
  <parameters>
    I
    [ X1 X2 X3 ]
    V
  </parameters>
</constraint>
```

3.7 Illustrations

In Figures 2 and 3, one can see the XML representation of the 4-*queens* instance. In Figures 4, 5 and 6, one can see the XML representation of a CSP instance involving 5 variables and the 5 following constraints:

- $C0: X0 \neq X1$
- $C1: X3 - X0 \geq 2$
- $C2: X2 - X0 = 2$
- $C3: X1 + 2 = |X2 - X3|$
- $C4: X1 \neq X4$

Finally, in Figures 7 and 8, one can see the XML representation of the 3-magic square instance. The global constraints *weightedSum* and *allDifferent* are used.

4 Representing QCSP instances

This is a proposal for QCSP and QCSP⁺ by **M. Benedetti, A. Lallouet and J. Vautard**. QCSP is not considered for the 2008 competition. The interested reader can find the exhaustive description in the non-abridged version of this document.

5 Representing WCSP instances

The classical CSP framework can be extended by associating weights (or costs) with tuples [3]. The WCSP (Weighted CSP) is a specific extension that rely on a specific valuation structure $S(k)$ defined as follows.

Definition 1 $S(k)$ is a triple $([0, \dots, k], \oplus, \geq)$ where:

$k \in [1, \dots, \infty]$ is either a strictly positive natural or infinity,

$[0, 1, \dots, k]$ is the set of naturals less than or equal to k ,

\oplus is the sum over the valuation structure defined as: $a \oplus b = \min\{k, a + b\}$,

\geq is the standard order among naturals.

A WCSP instance is defined by a valuation structure $S(k)$, a set of variables (as for classical CSP instances) and a set of constraints. A domain is associated with each variable and a cost function with each constraint. More precisely, for each constraint C and each tuple t that can be built from the domains associated with the variables involved in C , a value in $[0, 1, \dots, k]$ is assigned to t . When a constraint C assigns the cost k to a tuple t , it means that C forbids t . Otherwise, t is permitted by C with the corresponding cost. The cost of an instantiation of variables is the sum (using operator \oplus) over all constraints involving variables instantiated. An instantiation is consistent if its cost is strictly less than k . The goal of the WCSP problem is to find a full consistent assignment of variables with minimum cost.

It is rather easy to represent WCSP in XML in format XCSP 2.1. This is described below.

5.1 Presentation

Here are the extensions to the XML element called `<presentation>` in order to deal with a WCSP instance:

- the attribute **format** must be given the value "XCSP 2.1".
- the attribute **type** is required and its value must be "WCSP".

5.2 Relations

For WCSP represented in extension, it is necessary to introduce “soft” relations. These relations are defined as follows:

- the value of the attribute **semantics** is set to "soft".
- weighted tuples are given as described in Section 2.10
- an new attribute **defaultCost** is mandatory and represents the cost of any tuple which is not explicitly listed in the relation. Its value belongs to $[0, \dots, k]$ where k is the maximal cost of the valuation structure, defined by the attribute **maximalCost** of the element `<constraints>` (see below). Note that it may be the special value 'infinity'.

5.3 Functions

Instead of representing constraints of a WCSP in extension, it is possible to represent them in intension by introducing cost functions. For any tuple passed to such a function, its cost is computed and returned. In other words, we employ here exactly the same mechanism as the one employed for hard constraints represented in intension. The only difference is that a predicate returns a Boolean value whereas a cost function must return an integer value.

If present, the XML element called `<functions>` admits an attribute which is called **nbFunctions** and contains some occurrences (at least, one) of an element called `<function>`, one for each function associated with at least a constraint of the instance. The attribute **nbFunctions** is of type integer and its value is equal to the number of occurrences of the element `<function>`. The `<functions>` element must be a direct child of the `<instance>` element.

Each element `<function>` admits two attributes, called **name** and **return**, and contains two elements, called `<parameters>` and `<expression>`. It is defined as follows:

```
<function name = 'put here the name of the function' return='return type'>
  <parameters>
    put here a list of formal parameters
  </parameters>
  <expression>
    Put here one (or several) representation(s) of the function expression
  </expression>
</function>
```

The attribute **name** corresponds to the name of the function and its value must be a valid identifier.

The attribute **return** indicates the return type of the function. In this version of the format, the only return type used is 'int'. Then elements **<parameters>** and **<expression>** are defined exactly as those defined for **<predicate>** elements. The only difference is that the expression must be of type integer instead of being of type Boolean.

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

Functions will not be considered.

5.4 Constraints

For any WCSP instance, it is required to introduce an attribute **maximalCost** to the element **<constraints>**. The value of this attribute is of type integer (and must be strictly positive) and represents the maximum cost of the WCSP framework (the k value). Remember that it corresponds to a total violation and may be equal to 'infinity' (whereas 0 corresponds to a total satisfaction). Also, an optional attribute **initialCost** to the element **<constraints>** is introduced. If present, the value of this attribute is of type integer and represents a constant cost that must be added to the sum of constraints cost. This is the cost of the 0-ary constraint of the WCSP framework which is sometimes assumed (e.g. see [10]). When not present, it is assumed to be equal to 0.

Remark 2 *When representing a WCSP instance, it is possible to refer to hard constraints (defined in extension or intension). For such constraints, an allowed tuple has a cost of 0 while a disallowed tuple has a cost equal to the value of the attribute **maximalCost**.*

RESTRICTION FOR THE 2008 CSP SOLVER COMPETITION

maximalCost will be a constant integer (and, so different from 'infinity').
initialCost will always be equal to 0 and therefore unspecified.

5.5 Illustration

The representation in XCSP 2.1 of an illustrative WCSP instance is given by Figure 9.

6 Restrictions for the competition

6.1 Concerning CSP and MaxCSP

The restrictions considered for the 2008 CSP (and Max-CSP) solver competition are:

- only the abridged representation is considered.
- name of domains, variables, relations, predicates, constraints and so on are normalized.
- all domain values and all intermediate computations (when evaluating expressions according to their functional representation) must fit into 32-bits signed integers.
- constraints are sorted by lexicographic order of their normalized scope.
- only the four global constraints (*allDifferent*, *weightedSum*, *cumulative* and *element*) illustrated in this document will be considered for the CSP category “global constraints”, Besides, the abridged representation of global constraints will only be given using the conventional order.

Here are the differences between the format XCSP 2.0* (the restriction of the format XCSP 2.0 considered for the 2006 CSP solver competition) and the format XCSP 2.1* (the restriction of the format 2.1 considered for the 2008 CSP solver competition).

1. the attribute *name* of the element *presentation* has become optional,
2. two new operators (*iff* and *if*) have been introduced to be used when building predicate expressions,
3. constraints of same scope are gathered,
4. three new global constraints are introduced.

In other words, if you have a CSP (or Max-CSP) solver that already recognizes the format XCSP 2.0, the only thing you have to do is to extend it to take into account the two new operators (*iff* and *if*). Note that parsers in C(++) and Java for XCSP 2.1 are available from <http://www.cril.univ-artois.fr/CPAI08/>. On the other hand, if you want to submit a solver for the category of global constraints, you also should recognize the three new global constraints. A tool that allows validating XML representations of CSP instances in format 2.1 for the 2008 competition is also available from the URL given above.

On the other hand, it is important to provide some information about computations.

Roundings As all domain values and all (intermediate) computations (when evaluating expressions) are (signed) integers, no rounding problem may occur.

Overflows It is well-known that, when evaluating arithmetic expressions, overflow may occur. It is a real problem in the context of a competition as a solver that products an overflow can be considered as bugged. Any instance selected for the 2008 competition will be guaranteed to be overflow-free. However, be careful, it only means that no overflow will occur if values and all intermediate computations are represented using 32-bits signed integers and predicate expressions are evaluated in the order fixed by the functional representation.

Divisions There are several possible definitions of the quotient and remainder of a division when dividend and divisor are not necessarily positive. We adopt the convention which is used virtually by all modern processors (including the ones used in the competition), the C99 standard and the Java specification. The quotient produced for $div(n, d)$ is an integer value q whose magnitude is as large as possible while satisfying $|dq| \leq |n|$. Moreover, q is positive when $|n| \geq |d|$ and n and d have the same sign, but q is negative when $|n| \geq |d|$ and n and d have opposite signs. The remainder produced for $rem(n, d)$ produces a result value r such that $q * d + r = n$ where $q = div(n, d)$. It follows from this rule that the result of the remainder operation can be negative only if the dividend is negative, and can be positive only if the dividend is positive; moreover, the magnitude of the result is always less than the magnitude of the divisor.

Divisions by Zero Any instance selected for the 2008 competition will be guaranteed to be free of any division by zero. However, be careful, it only means that it will not occur if values and all intermediate computations are represented using 32-bits signed integers and predicate expressions are evaluated in the order fixed by the functional representation.

Finally, for the competition, some traps must be avoided:

- unary constraints may occur (e.g. `zebra.xml`).
- several constraints may share the same scope (e.g. `fapp01-0200-0.xml`).
- several constraints may share the same scope under permutations (e.g. see constraints C0 and C13 in `langford-2-4-ext.xml`).

6.2 Concerning WCSP

The restrictions considered for the 2008 WCSP solver competition are:

- only the abridged representation is considered,
- name of domains, variables, relations, constraints and so on are normalized.
- all domain values and all intermediate computations (i.e. the cost any full instantiation) must fit into 32-bits signed integers.
- constraints are sorted by lexicographic order of their normalized scope.
- no function and no global constraint are considered.

References

- [1] K.R. Apt. *Principles of Constraint Programming*. Cambridge University Press, 2003.

- [2] N. Beldiceanu, M. Carlsson, and J. Rampon. Global constraint catalog. Technical report, Swedish Institute of Computer Science, 2005.
- [3] S. Bistarelli, U. Montanari, F. Rossi, T. Schiex, G. Verfaillie, and H. Fargier. Semiring-based csps and valued csps: Frameworks, properties, and comparison. *Constraints Journal*, 4(3):199–240, 1999.
- [4] M. Garcia de la Banda, K. Marriott, R. Rafeh, and M. Wallace. The modelling language Zinc. In *Proceedings of CP'06*, pages 700–705, 2006.
- [5] R. Dechter. *Constraint processing*. Morgan Kaufmann, 2003.
- [6] P. Flener, J. Pearson, and M. Ågren. Introducing ESRA, a relational language for modelling combinatorial problems. In *LOPSTR'03: Revised Selected Papers*, pages 214–232, 2004.
- [7] A. Frisch, M. Grum, C. Jefferson, B. Martinez Hernandez, and I. Miguel. The design of ESSENCE: A constraint language for specifying combinatorial problems. In *Proceedings of IJCAI'07*, pages 80–87, 2007.
- [8] P. Van Hentenryck. *The OPL Optimization Programming Language*. The MIT Press, 1999.
- [9] J. Larrosa. Node and arc consistency in weighted CSP. In *Proceedings of AAAI'02*, pages 48–53, 2002.
- [10] J. Larrosa and T. Schiex. In the quest of the best form of local consistency for Weighted CSP. In *Proceedings of IJCAI'03*, pages 363–376, 2003.
- [11] J.C. Régin. A filtering algorithm for constraints of difference in CSPs. In *Proceedings of AAAI'94*, pages 362–367, 1994.
- [12] J.C. Régin and M. Rueher. A global constraint combining a sum constraint and difference constraints. In *Proceedings of CP'00*, pages 384–395, 2000.
- [13] G. Renker and H. Ahriz. Building models through formal specification. In *Proceedings of CPAIOR'04*, pages 395–401, 2004.
- [14] E. Tsang, P. Mills, R. Williams, J. Ford, and J. Borrett. A computer-aided constraint programming system. In *Proceedings of PACLP'99*, pages 81–93, 1999.
- [15] W.J. van Hoeve. The alldifferent constraint: a survey. In *Proceedings of the Sixth Annual Workshop of the ERCIM Working Group on Constraints*, 2001.
- [16] World Wide Web Consortium (W3C). *Extensible Markup Language (XML)*. <http://www.w3.org/XML/>, 1997.
- [17] J. Zhou. Introduction to the constraint language NCL. *Journal of Logic Programming*, 45(1-3):71–103, 2000.

```

<instance>
  <presentation name="Queens" nbSolutions="at least 1" format="XCSP 2.1">
    This is the 4-queens instance represented in extension.
  </presentation>

  <domains nbDomains="1">
    <domain name="D0" nbValues="4">
      1..4
    </domain>
  </domains>

  <variables nbVariables="4">
    <variable name="V0" domain="D0"/>
    <variable name="V1" domain="D0"/>
    <variable name="V2" domain="D0"/>
    <variable name="V3" domain="D0"/>
  </variables>

  <relations nbRelations="3">
    <relation name="R0" arity="2" nbTuples="10" semantics="conflicts">
      1 1|1 2|2 1|2 2|2 3|3 2|3 3|3 4|4 3|4 4
    </relation>
    <relation name="R1" arity="2" nbTuples="8" semantics="conflicts">
      1 1|1 3|2 2|2 4|3 1|3 3|4 2|4 4
    </relation>
    <relation name="R2" arity="2" nbTuples="6" semantics="conflicts">
      1 1|1 4|2 2|3 3|4 1|4 4
    </relation>
  </relations>

  <constraints nbConstraints="6">
    <constraint name="C0" arity="2" scope="V0 V1" reference="R0"/>
    <constraint name="C1" arity="2" scope="V0 V2" reference="R1"/>
    <constraint name="C2" arity="2" scope="V0 V3" reference="R2"/>
    <constraint name="C3" arity="2" scope="V1 V2" reference="R0"/>
    <constraint name="C4" arity="2" scope="V1 V3" reference="R1"/>
    <constraint name="C5" arity="2" scope="V2 V3" reference="R0"/>
  </constraints>
</instance>

```

Figure 2: The 4-queens instance in extension

```

<instance>
  <presentation name="Queens" nbSolutions="at least 1" format="XCSP 2.1">
    This is the 4-queens instance represented in intention.
  </presentation>

  <domains nbDomains="1">
    <domain name="D0" nbValues="4">
      1..4
    </domain>
  </domains>

  <variables nbVariables="4">
    <variable name="V0" domain="D0"/>
    <variable name="V1" domain="D0"/>
    <variable name="V2" domain="D0"/>
    <variable name="V3" domain="D0"/>
  </variables>

  <predicates nbPredicates="1">
    <predicate name="P0">
      <parameters> int X0 int X1 int X2 </parameters>
      <expression>
        <functional> and(ne(X0,X1),ne(abs(sub(X0,X1)),X2)) </functional>
      </expression>
    </predicate>
  </predicates>

  <constraints nbConstraints="6">
    <constraint name="C0" arity="2" scope="V0 V1" reference="P0">
      <parameters> V0 V1 1 </parameters>
    </constraint>
    <constraint name="C1" arity="2" scope="V0 V2" reference="P0">
      <parameters> V0 V2 2 </parameters>
    </constraint>
    <constraint name="C2" arity="2" scope="V0 V3" reference="P0">
      <parameters> V0 V3 2 </parameters>
    </constraint>
    <constraint name="C3" arity="2" scope="V1 V2" reference="P0">
      <parameters> V1 V2 1 </parameters>
    </constraint>
    <constraint name="C4" arity="2" scope="V1 V3" reference="P0">
      <parameters> V1 V3 2 </parameters>
    </constraint>
    <constraint name="C5" arity="2" scope="V2 V3" reference="P0">
      <parameters> V2 V3 1 </parameters>
    </constraint>
  </constraints>
</instance>

```

Figure 3: The *4-queens* instance in intention

```

<instance>
  <presentation name="Test" format="XCSP 2.1">
    This is another instance represented in extension.
  </presentation>

  <domains nbDomains="3">
    <domain name="D0" nbValues="7">
      0..6
    </domain>
    <domain name="D1" nbValues="3">
      1 5 10
    </domain>
    <domain name="D2" nbValues="10">
      1..5 11..15
    </domain>
  </domains>

  <variables nbVariables="5">
    <variable name="V0" domain="D0"/>
    <variable name="V1" domain="D0"/>
    <variable name="V2" domain="D1"/>
    <variable name="V3" domain="D2"/>
    <variable name="V4" domain="D0"/>
  </variables>

  <relations nbRelations="4">
    <relation name="R0" arity="2" nbTuples="7" semantics="conflicts">
      0 0|1 1|2 2|3 3|4 4|5 5|6 6
    </relation>
    <relation name="R1" arity="2" nbTuples="25" semantics="conflicts">
      1 0|1 1|1 2|1 3|1 4|1 5|1 6|2 1|2 2|2 3|2 4|2 5|2 6|3 2|3 3|
      3 4|3 5|3 6|4 3|4 4|4 5|4 6|5 4|5 5|5 6
    </relation>
    <relation name="R2" arity="2" nbTuples="1" semantics="supports">
      5 3
    </relation>
    <relation name="R3" arity="3" nbTuples="17" semantics="supports">
      0 1 3|0 5 3|0 10 12|1 1 4|1 5 2|1 10 13|2 1 5|2 5 1|2 10 14|
      3 10 5|3 10 15|4 5 11|4 10 4|5 5 12|5 10 3|6 5 13|6 10 2
    </relation>
  </relations>

  <constraints nbConstraints="5">
    <constraint name="C0" arity="2" scope="V0 V1" reference="R0"/>
    <constraint name="C1" arity="2" scope="V3 V0" reference="R1"/>
    <constraint name="C2" arity="2" scope="V2 V0" reference="R2"/>
    <constraint name="C3" arity="3" scope="V1 V2 V3" reference="R3"/>
    <constraint name="C4" arity="2" scope="V1 V4" reference="R0"/>
  </constraints>
</instance>

```

Figure 4: Test Instance in extension

```

<instance>
  <presentation name="Test" format="XCSP 2.1">
    This is another instance represented in intention.
  </presentation>

  <domains nbDomains="3">
    <domain name="dom0" nbValues="7">
      0..6
    </domain>
    <domain name="dom1" nbValues="3">
      1 5 10
    </domain>
    <domain name="dom2" nbValues="10">
      1..5 11..15
    </domain>
  </domains>

  <variables nbVariables="5">
    <variable name="V0" domain="dom0"/>
    <variable name="V1" domain="dom0"/>
    <variable name="V2" domain="dom1"/>
    <variable name="V3" domain="dom2"/>
    <variable name="V4" domain="dom0"/>
  </variables>

  <predicates nbPredicates="4">
    <predicate name="P0">
      <parameters> int X0 int X1 </parameters>
      <expression>
        <functional> ne(X0,X1) </functional>
      </expression>
    </predicate>
    <predicate name="P1">
      <parameters> int X0 int X1 int X2 </parameters>
      <expression>
        <functional> ge(sub(X0,X1),X2) </functional>
      </expression>
    </predicate>
    <predicate name="P2">
      <parameters> int X0 int X1 int X2 </parameters>
      <expression>
        <functional> eq(sub(X0,X1),X2) </functional>
      </expression>
    </predicate>
    <predicate name="P3">
      <parameters> int X0 int X1 int X2 int X3 </parameters>
      <expression>
        <functional> eq(add(X0,X1),abs(sub(X3,X4))) </functional>
      </expression>
    </predicate>
  </predicates>
  ...

```

Figure 5: Test Instance in intention (to be continued)

```
...
<constraints nbConstraints="5">
  <constraint name="C0" arity="2" scope="V0 V1" reference="P0">
    <parameters> V0 V1 </parameters>
  </constraint>
  <constraint name="C1" arity="2" scope="V0 V3" reference="P1">
    <parameters> V3 V0 2 </parameters>
  </constraint>
  <constraint name="C2" arity="2" scope="V0 V2" reference="P2">
    <parameters> V2 V0 2 </parameters>
  </constraint>
  <constraint name="C3" arity="3" scope="V1 V2 V3" reference="P3">
    <parameters> V1 2 V2 V3 </parameters>
  </constraint>
  <constraint name="C4" arity="2" scope="V1 V4" reference="P0">
    <parameters> V1 V4 </parameters>
  </constraint>
</constraints>
</instance>
```

Figure 6: Test Instance in intention (continued)

```

<instance>
  <presentation name="Magic Square" format="XCSP 2.1">
    This is the magic square of order 3.
  </presentation>

  <domains nbDomains="1">
    <domain name="dom0" nbValues="9">
      1..9
    </domain>
  </domains>

  <variables nbVariables="9">
    <variable name="X0" domain="dom0"/>
    <variable name="X1" domain="dom0"/>
    <variable name="X2" domain="dom0"/>
    <variable name="X3" domain="dom0"/>
    <variable name="X4" domain="dom0"/>
    <variable name="X5" domain="dom0"/>
    <variable name="X6" domain="dom0"/>
    <variable name="X7" domain="dom0"/>
    <variable name="X8" domain="dom0"/>
  </variables>

  <constraints nbConstraints="8">
    <constraint name="C0" arity="3" scope="X0 X1 X2" reference="global:weightedSum">
      <parameters>
        [ { 1 X0 } { 1 X1 } { 1 X2 } ]
      <eq/>
      15
    </parameters>
    </constraint>
    <constraint name="C1" arity="3" scope="X3 X4 X5" reference="global:weightedSum">
      <parameters>
        [ { 1 X3 } { 1 X4 } { 1 X5 } ]
      <eq/>
      15
    </parameters>
    </constraint>
    <constraint name="C2" arity="3" scope="X6 X7 X8" reference="global:weightedSum">
      <parameters>
        [ { 1 X6 } { 1 X7 } { 1 X8 } ]
      <eq/>
      15
    </parameters>
    </constraint>
    <constraint name="C3" arity="3" scope="X0 X3 X6" reference="global:weightedSum">
      <parameters>
        [ { 1 X0 } { 1 X3 } { 1 X6 } ]
      <eq/>
      15
    </parameters>
    </constraint>
    ...
  </constraints>

```

Figure 7: The 3-magic square instance (to be continued)

```

...
<constraint name="C4" arity="3" scope="X1 X4 X7" reference="global:weightedSum">
  <parameters>
    [ { 1 X1 } { 1 X4 } { 1 X7 } ]
    <eq/>
    15
  </parameters>
</constraint>
<constraint name="C5" arity="3" scope="X2 X5 X8" reference="global:weightedSum">
  <parameters>
    [ { 1 X2 } { 1 X5 } { 1 X8 } ]
    <eq/>
    15
  </parameters>
</constraint>
<constraint name="C6" arity="3" scope="X0 X4 X8" reference="global:weightedSum">
  <parameters>
    [ { 1 X0 } { 1 X4 } { 1 X8 } ]
    <eq/>
    15
  </parameters>
</constraint>
<constraint name="C7" arity="3" scope="X2 X4 X6" reference="global:weightedSum">
  <parameters>
    [ { 1 X2 } { 1 X4 } { 1 X6 } ]
    <eq/>
    15
  </parameters>
</constraint>
<constraint name="C8" arity="9" scope="X0 X1 X2 X3 X4 X5 X6 X7 X8"
  reference="global:allDifferent" />
</constraints>
</instance>

```

Figure 8: The 3-magic square instance (continued)

```

<instance>
  <presentation name="ExampleWCSP" format="XCSP 2.1" type="WCSP">
    This is a WCSP instance.
  </presentation>

  <domains nbDomains="1">
    <domain name="D0" nbValues="3">0..2</domain>
  </domains>

  <variables nbVariables="4">
    <variable name="V0" domain="D0"/>
    <variable name="V1" domain="D0"/>
    <variable name="V2" domain="D0"/>
    <variable name="V3" domain="D0"/>
  </variables>

  <relations nbRelations="6">
    <relation name="R0" arity="2" nbTuples="10" semantics="soft" defaultCost="0">
      5:0 0|0 1|1 0|1 1|1 2|2 1|2 2|2 3|3 2|3 3
    </relation>
    <relation name="R1" arity="1" nbTuples="2" semantics="soft" defaultCost="0">
      1:1|3
    </relation>
    <relation name="R2" arity="1" nbTuples="2" semantics="soft" defaultCost="0">
      1:1|2
    </relation>
    <relation name="R3" arity="1" nbTuples="2" semantics="soft" defaultCost="0">
      1:0|2
    </relation>
  </relations>

  <functions nbFunctions="2">
    <function name="F0" return="int">
      <parameters> int X int Y </parameters>
      <expression>
        <functional> if(eq(X,Y),0,5) </functional>
      </expression>
    </function>
    <function name="F1" return="int">
      <parameters> int X int Y int Z </parameters>
      <expression>
        <functional> if(gt(mul(add(X,Y),Z),5),0,2) </functional>
      </expression>
    </function>
  </functions>

  <constraints nbConstraints="7" initialCost="0" maximalCost="5">
    <constraint name="C0" arity="2" scope="V0 V1" reference="R0" />
    <constraint name="C1" arity="2" scope="V0 V2" reference="F0" />
    <constraint name="C2" arity="3" scope="V1 V2 V3" reference="F1" />
    <constraint name="C3" arity="1" scope="V0" reference="R1" />
    <constraint name="C4" arity="1" scope="V1" reference="R2" />
    <constraint name="C5" arity="1" scope="V2" reference="R3" />
  </constraints>
</instance>

```

Figure 9: A WCSP instance