

preSAT: SAT Solver Description

Cédric Piette¹, Youssef Hamadi², and Lakhdar Sais¹

¹ CRIL-CNRS
Université d'Artois
Rue Jean Souvraz SP18
F-62307 Lens Cedex France
{piette, sais}@cril.fr

² Microsoft Research
7 J J Thomson Avenue
CB3 0FB, Cambridge, United Kingdom
youssefh@microsoft.com

This document briefly describes `preSAT 1.0`, a new technique designed to efficiently solve structured CNF formulae. `preSAT` is based on an original preprocessing technique called `revival` [1]. This technique aims at producing either sub-clauses or relevant additional clauses for the tested CNF.

To this end, `revival` heuristically checks whether each clause is minimally (w.r.t. set-theoretical inclusion of literals) irredundant. The efficiency of `revival` relies on its full integration into a modern SAT solver. Hence, its computation benefits from the classical components of modern DPLLs (watched literals, learning scheme, VSIDS-like heuristics, etc.), boosting (sub-)clauses production. However, on some large industrial problems, `revival` can be time consuming. To avoid losing time in such cases, our pre-processor has a time limit empirically set to 60 seconds. Therefore, even if new sub-clauses could be produced, the CNF is delivered in its current state.

After the application of our `revival` pre-processor, `SatElite` [2] is used to even more simplify the formula before running an exhaustive approach. For the complete solver, `Rsat` [3] has been selected. The addition of `revival` to this solver is expected to improve its behavior on many benchmarks.

References

1. Piette, C., Hamadi, Y., Sais, L.: Vivifying propositional clausal formulae. Technical Report MSR-TR-(to appear), Microsoft Research (april 2008)
2. Eén, N., Biere, A.: Effective preprocessing in SAT through variable and clause elimination. In: SAT'05. (2005) 61–75
3. Pipatsrisawat, K., Darwiche, A.: RSAT 2.0: SAT solver description. Technical Report D-153, Automated Reasoning Group, Computer Science Department, UCLA (2007)