

Symmetric Argumentation Frameworks

Sylvie Coste-Marquis, Caroline Devred, and Pierre Marquis

CRIL–CNRS/Université d’Artois*
rue de l’Université - S.P. 16
F-62307 Lens Cedex - France
{coste,devred,marquis}@cril.univ-artois.fr

Abstract. This paper is centered on the family of Dung’s finite argumentation frameworks when the attacks relation is symmetric (and nonempty and irreflexive). We show that while this family does not contain any well-founded framework, every element of it is both coherent and relatively grounded. Then we focus on the acceptability problems for the various semantics introduced by Dung, yet generalized to sets of arguments. We show that only two distinct forms of acceptability are possible when the considered frameworks are symmetric. Those forms of acceptability are quite simple, but tractable; this contrasts with the general case for which all the forms of acceptability are intractable (except for the ones based on grounded or naive extensions).

1 Introduction

Modelling argumentation is known as a major issue of many AI problems, including defeasible reasoning and some forms of dialogue between agents (see e.g., [1–5]). In a nutshell, argumentative reasoning is concerned with the interaction of arguments. A key notion for any theory of argumentation is the acceptability one: intuitively, an argument is considered acceptable if it can be argued successfully against attacking arguments. Formally, the acceptability of an argument (resp. a set of arguments taken as a whole) is characterized by the membership (resp. the containment) of it to some selected sets of arguments, referred to as extensions.

Several theories of argumentation have been proposed so far (see among others [6–10]). In Elvang-Gøransson *et al.*’s theory (refined and extended by several authors, including [7, 11–19]), one considers in the beginning a set of assumptions and some background knowledge; then an argument is a pair consisting of a statement (the conclusion of the argument) and a (often minimal) subset of assumptions (the support of the conclusion) which is consistent with the background knowledge and such that the conclusion is a logical consequence of it and the background knowledge. Several forms of interaction between arguments have been investigated, including among others the rebuttal relation (an argument rebuts a second one when the conclusion of the former is equivalent to the negation of the conclusion of the latter). In Dung’s approach¹ [6], no assumption is made about the nature of an argument (it can be a statement supported

* The authors have been partly supported by the the Région Nord/Pas-de-Calais through the IRCICA Consortium and by the European Community FEDER Program.

¹ Also refined and extended by several authors, including [20–24].

by some assumptions like in the theory introduced by Elvang-Gøransson *et al.* but this is not mandatory). What really matters is the way arguments interact w.r.t. the attacks relation. In contrast to Elvang-Gøransson *et al.*'s theory, Dung's theory of argumentation is not concerned with the generation of arguments; arguments and the way they interact are considered as initial data of any argumentation framework. Several notions of extensions have been defined by Dung, reflecting several reasons according to which arguments can be taken together. A major feature of Dung's theory is that it encompasses many approaches to nonmonotonic reasoning and logic programming as special cases.

In this paper, we focus on the family of finite argumentation frameworks obtained by requiring the attacks relation to be symmetric; we also assume that the attacks relation is not empty (which is not so strong an assumption since the argumentation frameworks which violate it are trivial ones: no interactions between arguments exist) and that it is irreflexive; the latter assumption is also sensible since an argument which attacks itself is in some sense paradoxical and the problem of reasoning with paradoxical statements is hard by itself but mainly independent from the argumentation issue. Thus, paradoxical statements are typically not viewed as arguments (for instance, it cannot be the case that the support of a conclusion contradicts the conclusion in Elvang-Gøransson *et al.*'s approach). The symmetry requirement is also not so strong; for instance, the rebuttal relation in Elvang-Gøransson *et al.*'s theory is clearly symmetric.

Our contribution is twofold. We show that while no symmetric argumentation framework is also well-founded, every symmetric argumentation framework is both coherent and relatively grounded. Then we focus on the acceptability problems for the various semantics introduced by Dung, yet generalized to sets of arguments. We show that only two distinct forms of acceptability are possible when considering symmetric frameworks. Finally, we show that those forms of acceptability are quite simple, but tractable for symmetric frameworks, while they are intractable in the general case (except for the ones based on grounded or naive extensions).

The rest of this paper is organized as follows. In Section 2, we recall the main definitions and results pertaining to Dung's theory of argumentation. In Section 3, we focus on symmetric argumentation frameworks and present our contribution. Finally, Section 4 concludes the paper.

2 Dung's Theory of Argumentation

Let us present some basic definitions at work in Dung's theory of argumentation [6]. We restrict them to finite argumentation frameworks.

Definition 1 (finite argumentation frameworks).

A finite argumentation framework is a pair $AF = \langle A, R \rangle$ where A is a finite set of so-called arguments and R is a binary relation over A (a subset of $A \times A$), the attacks relation.

Clearly enough, the set of finite argumentation frameworks is a proper subset of the set of Dung's finitary argumentation frameworks, where every argument must be attacked by finitely many arguments.

The definition above clearly shows that a finite argumentation framework is nothing but a finite digraph.

Example 1. Let $AF = \langle A, R \rangle$ be a finite argumentation framework with $A = \{a, b, c, d, e\}$ and $R = \{(e, c), (c, e), (b, c), (c, b), (b, d), (d, b), (c, d), (d, c)\}$. AF is depicted on Figure 1. One can observe that R is a symmetric relation; clearly, this is not always the case for Dung's frameworks but this choice is motivated by the desire to take advantage of AF as a running example throughout the paper.




Fig. 1. Digraph for AF .

A first important notion is the notion of acceptability: an argument a is acceptable w.r.t. a set of arguments whenever it is defended by the set, i.e., every argument which attacks a is itself attacked by an element of the set.

Definition 2 (acceptability w.r.t. a set).

Let $AF = \langle A, R \rangle$ be a finite argumentation framework. An argument $a \in A$ is acceptable w.r.t. a subset S of A if and only if for every $b \in A$ s.t. $(b, a) \in R$, there exists $c \in S$ s.t. $(c, b) \in R$. A set of arguments is acceptable w.r.t. S when each of its elements is acceptable w.r.t. S .

In the graph theory literature, a set of vertices which is acceptable w.r.t. itself is *semidominant*.

A second important notion is the notion of absence of conflicts. Intuitively, two arguments should not be considered together whenever one of them attacks the other one.

Definition 3 (conflict-free sets).

Let $AF = \langle A, R \rangle$ be a finite argumentation framework. A subset S of A is conflict-free if and only if for every $a, b \in S$, we have $(a, b) \notin R$.

The conflict-free subsets of A which are maximal w.r.t. \subseteq are called the **naive extensions** of AF in [3]. In the graph theory literature, such conflict-free sets are also called *independent sets*.

Requiring the absence of conflicts and the form of autonomy captured by self-acceptability leads to the notion of admissible set.

Definition 4 (admissible sets).

Let $AF = \langle A, R \rangle$ be a finite argumentation framework. A subset S of A is admissible if and only if S is conflict-free and acceptable w.r.t. S .

In the graph theory literature, a set of vertices admissible (i.e. independent and semidominant) is called a *semikernel*.

Example 2 (Example 1 (cont'ed)). $\{e, d\}$, $\{e, b\}$, $\{c\}$ are admissible sets given AF .

The significance of the concept of admissible sets is reflected by the fact that every extension of an argumentation framework under the standard semantics introduced by Dung (preferred, stable, complete and grounded extensions) is an admissible set, satisfying some form of optimality:

Definition 5 (extensions).

Let $AF = \langle A, R \rangle$ be a finite argumentation framework.

- A subset S of A is a preferred extension of AF if and only if it is maximal w.r.t. \subseteq among the set of admissible sets for AF .
- A subset S of A is a stable extension of AF if and only if it is admissible and for every argument a from $A \setminus S$, there exists $b \in S$ s.t. $(b, a) \in R$.
- A subset S of A is a complete extension of AF if and only if it is admissible and it coincides with the set of arguments acceptable w.r.t. itself.
- A subset S of A is the grounded extension of AF if and only if it is the least element w.r.t. \subseteq among the complete extensions of AF .

Example 3 (Example 1 (cont'ed)). Let $E_1 = \{a\}$, $E_2 = \{a, e, b\}$, $E_3 = \{a, c\}$ and $E_4 = \{a, d, e\}$. E_1 is the grounded extension of AF . E_2 , E_3 and E_4 are the preferred extensions of AF and the stable extensions of AF . E_1 , E_2 , E_3 and E_4 are the complete extensions of AF .

In the graph theory literature, sets S of vertices s.t. every vertex outside S is in the direct image of at least one element of S are also called *dominating sets*. Sets of vertices that are both independent and dominating are referred to as the *kernels* of the graph AF . The sets of vertices which are the *maximal semikernel* of the graph AF are the preferred extensions of AF .

Formally, complete extensions of AF can be characterized as the fixed points of its characteristic function \mathcal{F}_{AF} , and among them, the grounded extension of AF is the least element [6]:

Definition 6 (characteristic functions).

The characteristic function, denoted \mathcal{F}_{AF} , of an argumentation framework $AF = \langle A, R \rangle$ is defined as follows: $\mathcal{F}_{AF} : 2^A \rightarrow 2^A$
 $\mathcal{F}_{AF}(S) = \{a \mid a \text{ is acceptable w.r.t. } S\}$

Finally, several notions of acceptability of an argument (or more generally a set of arguments) can be defined by requiring the membership to one (credulous acceptability) or every extension (skeptical acceptability) of a specific kind. Obviously enough, credulous acceptability and skeptical acceptability w.r.t. the grounded extension coincide, since the grounded extension of an argumentation framework is unique.

Among other things, Dung has shown that every argumentation framework AF has at least one preferred extension, while it may have zero, one or many stable extensions.

The purest argumentation frameworks AF in Dung's theory are those for which all the notions of acceptability coincide. This means that AF has a unique complete extension (the grounded one), which is also stable and preferred.

Definition 7. An argumentation framework $AF = \langle A, R \rangle$ is well-founded if and only if there does not exist an infinite sequence $a_0, a_1 \dots a_n \dots$ of arguments from A , such that for each i , $(a_{i+1}, a_i) \in R$.

Proposition 1. Every well-founded argumentation framework has exactly one complete extension which is grounded, preferred and stable.

Dung has provided a sufficient condition for an argumentation framework AF to satisfy this requirement, the well-foundation of AF :

Proposition 2. Let $AF = \langle A, R \rangle$ be a finite argumentation framework. AF is well-founded if there is no cycle in the digraph $\langle A, R \rangle$.

Dung has also shown that every stable extension is preferred and every preferred extension is complete; however, none of the converse inclusions holds. When all the preferred extensions of an argumentation framework are stable ones, the framework is said to be coherent:

Definition 8 (coherent argumentation frameworks).

Let $AF = \langle A, R \rangle$ be a finite argumentation framework. AF is coherent if and only if every preferred extension of AF is also stable.

Example 4 (Example 1 (cont'ed)). Every preferred extension of AF is a stable extension as well. Hence AF is coherent.

This is particularly interesting since for any coherent AF , the notion of credulous (resp. skeptical) acceptability w.r.t. the preferred arguments coincides with the notion of credulous (resp. skeptical) acceptability w.r.t. the stable arguments.

Since the grounded extension of AF is the least complete extension of it, it is included in every preferred extension of AF (hence in every stable extension of AF). This shows that the notion of acceptability w.r.t. the grounded extension is always at least as demanding as any form of credulous or skeptical acceptability w.r.t. the preferred extensions or the stable ones (except for credulous acceptability w.r.t. the stable extensions when no such extensions exist since no argument can be accepted in that case for such semantics — note that such an exception cannot be the case when AF is coherent).

Nevertheless, the grounded extension of AF is not always equal to the intersection of all its preferred extensions. Interesting argumentation frameworks are those for which this condition is satisfied:

Definition 9 (relatively grounded argumentation frameworks).

Let $AF = \langle A, R \rangle$ be a finite argumentation framework. AF is relatively grounded if and only if its grounded extension is equal to the intersection of all its preferred extensions.

Example 5 (Example 1 (cont'ed)). $E_2 \cap E_3 \cap E_4 = E_1$. Hence AF is relatively grounded.

In this case, the notion of skeptical acceptability w.r.t. the preferred extensions coincides with the notion of acceptability w.r.t. the grounded extension.

3 Symmetric Argumentation Frameworks

3.1 Definitions and properties

Let us now make precise the argumentation frameworks we are interested in.

Definition 10 (symmetric argumentation frameworks).

A symmetric argumentation framework is a finite argumentation framework $AF = \langle A, R \rangle$ where R is assumed symmetric, nonempty and irreflexive.

Example 6 (Example 1 (cont'ed)). AF is a symmetric argumentation framework.

First of all, it is easy to show that no symmetric argumentation framework is among the purest ones:

Proposition 3. *No symmetric argumentation framework is well-founded.*

Proof. Since R is nonempty and symmetric, a cycle can always be found in AF . ■

Nevertheless, this does not prevent symmetric argumentation frameworks from exhibiting interesting properties. An easy result is:

Proposition 4. *Let $AF = \langle A, R \rangle$ be a symmetric argumentation framework. $S \subseteq A$ is admissible if and only if S is conflict-free.*

Proof. Since R is symmetric, every argument a of A defends itself against all the arguments which attack it, so every $a \in A$ is acceptable w.r.t a . Hence, for all $S \subseteq A$, every $a \in A$ is acceptable w.r.t. $S \cup \{a\}$. Hence, for all $S \subseteq A$, every $a \in S$ is acceptable w.r.t. S . Hence, S is admissible if S is conflict-free. ■

Thus, the preferred extensions of a symmetric $AF = \langle A, R \rangle$ are the maximal subsets of A w.r.t. \subseteq among those which are conflict-free, i.e. the naive extensions of AF [3]. In particular, every conflict-free subset of A is included in a preferred extension of AF .

Another consequence is that:

Proposition 5. *Every symmetric argumentation framework is coherent.*

Proof. Every preferred extension $E \subseteq A$ is a naive extension. Hence, each argument not in E is in conflict with E . Since R is symmetric, each argument not in E is attacked by E . Hence, E is a stable extension. ■

Since every symmetric argumentation framework has a preferred extension, every symmetric argumentation framework has a stable extension, which is necessarily nonempty. Actually, this is an easy consequence of a more general result from graph theory stating that symmetric graphs are kernel perfect. This means that every induced subgraph of a symmetric graph has a kernel.

Proposition 6. *Let $AF = \langle A, R \rangle$ be a symmetric argumentation framework. Every $a \in A$ belongs to at least one preferred (or equivalently, stable or naive) extension of AF .*

Proof. Immediate, since R is irreflexive and symmetric. ■

Example 7 (Example 1 (cont'ed)). $E_2 \cup E_3 \cup E_4 = A$. Hence every argument of A belongs to a preferred extension of AF .

As to the grounded extension, we can prove that:

Proposition 7. *Let $AF = \langle A, R \rangle$ be a symmetric argumentation framework. The grounded extension of AF is given by $\{a \in A \mid \nexists b \in A, (b, a) \in R\}$.*

Proof. According to definition 6, $\mathcal{F}_{AF}(\emptyset)$ is the set of arguments of AF which are not attacked. There are two cases:

1. Either every argument of A is attacked. Then $\mathcal{F}_{AF}(\emptyset) = \emptyset$ is the least complete extension of AF (w.r.t. \subseteq). Hence \emptyset is the grounded extension of AF .
2. Or some arguments of A are not attacked. Let $S' = \mathcal{F}_{AF}(\emptyset)$ be the set of such arguments. Since R is symmetric, if an argument is not attacked, then it does not attack any argument. Hence, there is no $a \in A \setminus S'$ s.t. a is acceptable w.r.t. S' . Hence $\mathcal{F}_{AF}^2(\emptyset) = \mathcal{F}_{AF}(S') = S'$. So, S' is the least complete extension of AF (w.r.t. \subseteq). Hence S' is the grounded extension of AF . ■

Subsequently, the grounded extension of AF can be computed in time linear in $|AF|$ in the worst case.

We have also shown that:

Proposition 8. *Let $AF = \langle A, R \rangle$ be a symmetric argumentation framework. $a \in A$ belongs to every preferred (or equivalently, stable or naive) extension of AF if and only if there is no $b \in A$ s.t. $(b, a) \in R$.*

Proof.

\Leftarrow Immediate from the Proposition 7 and the fact that the grounded extension belongs to every preferred extension.

\Rightarrow Let $b \in A$ such that $(b, a) \in R$. According to Proposition 6, there is a preferred extension E such that $b \in E$. But a belongs to E . Thus E is not conflict-free. So, b does not exist. ■

A direct corollary of this proposition is the following one:

Proposition 9. *Every symmetric argumentation framework is relatively grounded.*

Proof. Immediate from Propositions 7 and 8. ■

Example 8 (Example 1 (cont'ed)). a is not attacked. a belongs to every preferred extension of AF and it is the unique argument of the grounded extension E_1 of AF .

As a consequence, there are at most two distinct forms of acceptability for symmetric argumentation frameworks: all the forms of skeptical acceptability coincide with the notion of acceptability w.r.t. the grounded extension; credulous acceptability w.r.t. preferred extensions and credulous acceptability w.r.t. stable extensions coincide with credulous acceptability w.r.t. naive extensions. Nevertheless, according to Proposition 6 credulous acceptability for single arguments is not so interesting since it trivializes for symmetric argumentation frameworks.

Accordingly, one has to consider more general acceptability problems if one wants to get more than one semantics, which is expected here; indeed, skeptical acceptability is rather poor since it characterizes as acceptable only those arguments of A which are not attacked.

3.2 Acceptability problems and complexity issues

This is why we turn to acceptability problems for *sets of arguments*, i.e., the question is now to determine whether or not it is reasonable to accept some arguments *together*:

Definition 11 (acceptability problems).

ACCEPTABILITY $_{I,E}$ is the following decision problem (also viewed as the language of its positive instances in the usual way):

- **Input:** A finite argumentation framework $AF = \langle A, R \rangle$ and a set of arguments $S \subseteq A$.
- **Question:** Is S included into:
 $I=\forall$: every E extension of AF ?
 $I=\exists$: at least one E extension of AF ?
 where E is either N (naive), P (preferred), S (stable), C (complete) or G (grounded).

For instance, ACCEPTABILITY $_{\forall,S}$ denotes the skeptical acceptability problem under the stable semantics. We also use the notation ACCEPTABILITY $_{.,G}$ to denote the acceptability problem under the grounded semantics (obviously enough, ACCEPTABILITY $_{.,G} = \text{ACCEPTABILITY}_{\forall,G} = \text{ACCEPTABILITY}_{\exists,G}$ since an argumentation framework always has a unique grounded extension).

We can easily complete previous complexity results for skeptical acceptability of single arguments [25, 26]:

Proposition 10. The following complexity results hold:²

- ACCEPTABILITY $_{\forall,P}$ is Π_2^P -complete.
- ACCEPTABILITY $_{\forall,S}$ is **coNP**-complete.
- ACCEPTABILITY $_{\forall,C} = \text{ACCEPTABILITY}_{.,G}$ is in **P**.
- ACCEPTABILITY $_{\forall,N}$ is in **P**.

² We assume the reader acquainted with basic notions of complexity theory; see e.g., [27] otherwise.

Proof. Clearly enough, considering sets of arguments has no impact w.r.t. skeptical acceptability whatever the underlying semantics: a set S of arguments is skeptically acceptable if and only if S is a subset of all the extensions under consideration if and only if every element of S is skeptically acceptable. Hence the complexity of skeptical acceptability for sets of arguments coincides with the corresponding complexity of skeptical acceptability for single arguments, as identified by Dunne and Bench-Capon (when the set of arguments is finite and the attacks relation is not empty) [26]. Since the grounded extension of an argumentation framework AF is the intersection of all its complete extensions, it also comes that the two languages $\text{ACCEPTABILITY}_{\forall, C}$ and $\text{ACCEPTABILITY}_{\cdot, G}$ coincide. A set of arguments S is included into every naive extension of $AF = \langle A, R \rangle$ if and only if S is conflict-free and for every argument $a \in A \setminus S$ and every argument $b \in S$ if $(a, b) \in R$ then $(a, a) \in R$. This can be tested in time polynomial in $|AF| + |S|$.

The picture is not the same when credulous acceptability is considered since it can be the case that both arguments a and b are credulously acceptable (this is always the case in presence of symmetric argumentation frameworks) but that the set $\{a, b\}$ does not belong to any of the selected extensions.

Example 9 (Example 1 (cont'ed)). $c \in E_3$ and $d \in E_4$. Hence each of c and d is credulously acceptable. However, it is not cautious to believe in the set of arguments $\{c, d\}$ because this set is not conflict-free.

Nevertheless, considering sets of arguments instead of arguments alone does not lead to a complexity shift:

Proposition 11. *The following complexity results hold:*

- $\text{ACCEPTABILITY}_{\exists, P} = \text{ACCEPTABILITY}_{\exists, C}$ is NP-complete.
- $\text{ACCEPTABILITY}_{\exists, S}$ is NP-complete.
- $\text{ACCEPTABILITY}_{\exists, N}$ is in P.

Proof. The equality $\text{ACCEPTABILITY}_{\exists, P} = \text{ACCEPTABILITY}_{\exists, C}$ comes easily from the fact that the preferred extensions of an argumentation framework AF are exactly the complete extensions of AF which are maximal w.r.t. \subseteq (this is a straightforward consequence of the fact that every preferred extension of AF is a complete extension of AF (Theorem 2 from [6]) and that every admissible set of arguments of AF (including its complete extensions) is included in a preferred extension of AF (Theorem 2 from [6])). Then the membership results come from the following nondeterministic algorithms running in time polynomial in the input size: guess $S' \subseteq A$ then check that S' is a complete (resp. stable) extension of AF and that $S \subseteq S'$. It is easy to show that the check step can be done in (deterministic) polynomial time. The hardness results are direct consequences of the fact that their restrictions to the case S contains a single argument are already NP-hard [25, 26]. Finally checking whether a set S of argument belongs to a naive extension is equivalent to checking whether S is conflict-free, which can be done easily in polynomial time. ■

One can observe that the notion of complete extensions does not lead to semantics which differ from semantics obtained when some other extensions are considered (thus, skeptical acceptability w.r.t. complete extensions coincides with acceptability w.r.t. the grounded extension while credulous acceptability w.r.t. complete extensions coincides with credulous acceptability w.r.t. preferred extensions); this explains why in Dung's work the notion of complete extension is viewed more as a link between preferred extensions and the grounded one than as a semantics *per se*.

Now, considering symmetric frameworks leads complexity to decrease in a significant way:

Proposition 12. *Let us consider the restriction of $\text{ACCEPTABILITY}_{I,E}$ when AF is symmetric. Under this requirement, one can prove that:*

- $\text{ACCEPTABILITY}_{\forall,P} = \text{ACCEPTABILITY}_{\forall,S} = \text{ACCEPTABILITY}_{\forall,C}$
 $= \text{ACCEPTABILITY}_{.,G} = \text{ACCEPTABILITY}_{\forall,N}$ *is in P.*
- $\text{ACCEPTABILITY}_{\exists,P} = \text{ACCEPTABILITY}_{\exists,S} = \text{ACCEPTABILITY}_{\exists,C}$
 $= \text{ACCEPTABILITY}_{\exists,N}$ *is in P.*

Proof. The first point is a direct consequence of Propositions 7 and 8. The equalities at the second point come from Propositions 4 and 5 and from the facts that the preferred extensions of an argumentation framework AF are exactly the complete extensions of AF which are maximal w.r.t. \subseteq and that every admissible set of arguments of AF (including its complete extensions) is included in a preferred extension of AF (see the proof of Proposition 11). Tractability comes from Proposition 4: $S \subseteq A$ is included in a preferred extension of AF – or equivalently, included in a stable extension or included in a complete extension or included in a naive extension – if and only if S is conflict-free. Note that while credulous acceptability can be decided easily, the notion does not trivialize when S is not a singleton (which means that the set of positive instances is not always the set of all instances of the problem). ■

To sum up, the various semantics in Dung's theory applied to symmetric frameworks lead to consider a set of arguments as acceptable when (1) every element of it is not attacked (the skeptical acceptability) or (2) it is conflict-free (the credulous acceptability). In both cases, acceptability can be decided in an efficient way.

4 Conclusion

We have studied the properties offered by symmetric argumentation frameworks, under the (quite realistic) assumptions that the set of arguments is finite and the attacks relation is nonempty and irreflexive. Such frameworks are shown coherent and relatively grounded. This ensures that the various notions of acceptability proposed so far reduce at most to two. Extending them to sets of arguments, one obtains two notions of acceptability which are rather simple in essence but tractable; we have shown that this contrasts with the general case for which all the generalized forms of acceptability are intractable (under the usual assumptions of complexity theory), except for the ones based on grounded or naive extensions.

This work calls for several perspectives. One of them consists in investigating other preference criteria as a basis for additional semantics for argumentation frameworks. Indeed, refining preferred extensions can prove valuable whenever skeptical (resp. credulous) acceptability w.r.t. preferred extensions is considered too cautious (resp. too liberal). For instance, one can select the preferred extensions which are maximal w.r.t. cardinality. One can also associate to every preferred set S of arguments of AF the sum (or the maximum) of the numbers of attacks against each element of S ; on this ground, one can prefer the admissible sets associated to the least numbers if one thinks that a set of arguments which is not attacked is better than a set of arguments which is massively attacked. One can also adhere to the opposite point of view and prefer in a Popperian style sets of arguments which are robust enough to survive to many attacks. A second perspective consists in investigating the acceptability issue from the complexity point of view whenever a limited amount of non symmetric attacks is allowed. Finally, it would be interesting to point out other graph-theoretic properties for argumentation frameworks which would ensure tractable inference under various semantics.

References

1. Toulmin, S.: The Uses of Argument. Cambridge University Press (1958)
2. Prakken, A., Vreeswijk, G.: Logics for defeasible argumentation. Volume 4 of Handbook of Philosophical Logic, Second edition. Kluwer Academic Publishers (2002) 219–318
3. Bondarenko, A., Dung, P.M., Kowalski, R., Toni, F.: An abstract, argumentation-theoretic approach to default reasoning. *Artificial Intelligence* **93** (1997) 63–101
4. Parsons, S., Sierra, C., Jennings, N.: Agents that reason and negotiate by arguing. *Journal of Logic and Computation* **8** (1998) 261–292
5. Parsons, S., Wooldrige, M., Amgoud, L.: Properties and complexity of some formal inter-agent dialogues. *Journal of Logic and Computation* **13** (2003) 348–376
6. Dung, P.M.: On the acceptability of arguments and its fundamental role in nonmonotonic reasoning, logic programming and n-person games. *Artificial Intelligence* **77** (1995) 321–358
7. Elvang-Gøransson, M., Fox, J., Krause, P.: Dialectic reasoning with inconsistent information. In: Proceedings of the 9th Conference on Uncertainty in Artificial Intelligence. (1993) 114–121
8. Pollock, J.: How to reason defeasibly. *Artificial Intelligence* **57** (1992) 1–42
9. Simari, G., Loui, R.: A mathematical treatment of defeasible reasoning and its implementation. *Artificial Intelligence* **53** (1992) 125–157
10. Vreeswijk, G.: Abstract argumentation systems. *Artificial Intelligence* **90** (1997) 225–279
11. Elvang-Gøransson, M., Fox, J., Krause, P.: Acceptability of arguments as logical uncertainty. In: Proceedings of the European Conference on Symbolic and Quantitative Approaches to Reasoning and Uncertainty. (1993) 85–90
12. Elvang-Gøransson, M., Hunter, A.: Argumentative logics: Reasoning with classically inconsistent information. *Data and Knowledge Engineering* **16** (1995) 125–145
13. Besnard, P., Hunter, A.: A logic-based theory of deductive arguments. *Artificial Intelligence* **128** (2001) 203–235
14. Amgoud, L., Cayrol, C.: On the acceptability of arguments in preference-based argumentation. In: Proceedings of the 14th Conference on Uncertainty in Artificial Intelligence. (1998) 1–7

15. Amgoud, L., Cayrol, C.: Inferring from inconsistency in preference-based argumentation frameworks. *Journal of Automated Reasoning* **29** (2002) 125–169
16. Amgoud, L., Cayrol, C.: A reasoning model based on the production of acceptable arguments. *Annals of Mathematics and Artificial Intelligence* **34** (2002) 197–215
17. Cayrol, C.: From non-monotonic syntax-based entailment to preference-based argumentation. In: *Proceedings of the 3rd European Conference on Symbolic and Quantitative Approaches to Reasoning and Uncertainty*. Volume 946 of *Lecture Notes on Artificial Intelligence*. (1995)
18. Cayrol, C.: On the relation between argumentation and non-monotonic coherence-based entailment. In: *Proceedings of the 14th International Joint Conference on Artificial Intelligence*. (1995)
19. Dimopoulos, Y., Nebel, B., Toni, F.: On the computational complexity of assumption-based argumentation for default reasoning. *Artificial Intelligence* **141** (2002) 57–78
20. Baroni, P., Giacomin, M., G.Guida: Extending abstract argumentation systems theory. *Artificial Intelligence* **120** (2000) 251–270
21. Baroni, P., Giacomin, M.: Solving semantic problems with odd-length cycles in argumentation. In: *Proceedings of the 7th European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty*. Volume 2711 of *Lecture Notes on Artificial Intelligence*. (2003) 440–451
22. Baroni, P., Giacomin, M.: A recursive approach to argumentation: motivation and perspectives. In: *Proceedings of the 10th International Workshop on Non-Monotonic Reasoning*. (2004) 50–58
23. Cayrol, C., Doutre, S., Lagasquie-Schiex, M.C., Mengin, J.: Minimal defence: a refinement of the preferred semantics for argumentation frameworks. In: *Proceedings of the 9th International Workshop on Non-Monotonic Reasoning*. (2002) 408–415
24. Cayrol, C., Lagasquie-Schiex, M.C.: Gradual handling of contradiction in argumentation frameworks. In: *Proceedings of the 9th International Conference on Information Processing and Management of Uncertainty in Knowledge-based Systems*. (2002) 83–90
25. Dimopoulos, Y., Torres, A.: Graph theoretical structures in logic programs and default theories. *Theoretical Computer Science* **170** (1996) 209–244
26. Dunne, P., Bench-Capon, T.: Coherence in finite argument system. *Artificial Intelligence* **141** (2002) 187–203
27. Papadimitriou, C.: *Computational complexity*. Addison-Wesley (1994)